## What Is Claimed Is:

A compound having the formula:

wherein

10

15

20

25

Q is selected from the group consisting of N, O and S;

L is C, CH,  $(CH_2)_i$ , or  $\{(CH_2)_i - Y - (CH_2)_j\}_k$ , wherein Y is selected from the group consisting of  $CH_2$ , an ether, a polyether, an amide, a polyamide, an ester, a sulfide, a urea, a thiourea, a guanidyl, a carbamoyl, a carbonate, a phosphate, a sulfate, a sulfoxide, an imine, a carbonyl, and a secondary amino group and wherein Y is optionally substituted by  $-X_1-L'-X_2-Z$  or -Z;

 $R_1$  -  $R_6$ , independently of one another, are selected from the group consisting of H,  $-(CH_2)_p$ -D-Z, an alkyl, an alkenyl, an aryl, and an alkyl or alkyl ether optionally substituted by one or more of an alcohol, an aminoalcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, an alkylthio, a urea, a thiourea, a guanidyl, or a carbamoyl group, and wherein at least one of  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 6 to about 64 carbon atoms; and  $R_1$  and  $R_4$  or  $R_3$  and  $R_6$  may optionally be covalently linked with each other, with Y or with L when L is C or CH to form a cyclic moiety;

Z is selected from the group consisting of amine, spermiyl, carboxyspermiyl, guanidyl, spermidinyl, putricinyl, diaminoalkyl, pyridyl, piperidinyl, pyrrolidinyl, polyamine, amino acid, peptide, and protein;

 $X_1$  and  $X_2$ , independently of one another, are selected from the group consisting of NH, O, S, alkylene, and arylene;

L' is selected from the group consisting of alkyl, alkenylene, alkynylene, arylene, alkylene ether, and polyether;

D is Q or a bond;

 $A_1$  and  $A_2$ , independently of one another, are selected from the group consisting  $CH_2O$ ,  $CH_2S$ ,  $CH_2NH$ , C(O), C(NH), C(S) and  $(CH_2)_t$ ;

X is a physiologically acceptable anion;

m, n, r, s, u, v, w and y are 0 or 1, with the proviso that when both m and n are 0 at least one of r, s, u and y is other than 0;

i, j, k, l, p and t are integers from 0 to about 100;

q is an integer from 1 to about \1000; and

a is the number of positive charge divided by the valence of the anion.

10 2. The compound as claimed in claim 1, wherein at least one of R<sub>1</sub>, R<sub>3</sub>, R<sub>4</sub> and R<sub>6</sub> is a straight chain or branched cyclic, alkyl, alkenyl, alkynyl or aryl having from about 8 to about 24 carbon atoms.

3. The compound as claimed in claim 1, wherein the alkyl ether optionally substituted by one or more alcohol groups comprises a carbohydrate.

4. The compound as claimed in claim 3, wherein the carbohydrate is selected from the group consisting of galactose, fructose, glucose, maltose, sucrose, cellobiose, lactose, mannose, glucopyranose, mannopyranose and galactopyranose.

THE Compound

5. A compound as claimed in claim 1, wherein said compound has the formula:

SUB Bb

20

15

5

25 wherein

L is  $(CH_2)_1$  or  $\{(CH_2)_i$  -Y-  $(CH_2)_i$ , wherein Y is selected from the group consisting of  $CH_2$ , an ether, a polyether, an amide, a polyamide, an ester, a sulfide, a urea, a thiourea, a guanidyl, a carbamoyl, a carbonate, and a secondary amino group;

 $R_1$  -  $R_6$ , independently of one another, are selected from the group consisting of H,  $-(CH_2)_p$ -Z an alkyl, an alkenyl, an aryl, and an alkyl or alkyl ether optionally substituted by one or more of an alcohol, an aminoalcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group, and at least one of  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 6 to about 64 carbon atoms; and  $R_1$  and  $R_4$  or  $R_3$  and  $R_6$  may optionally be covalently linked with each other to form a cyclic moiety;

Z is selected from the group consisting of amine, spermiyl, carboxyspermiyl, guanidyl, spermidinyl, putricinyl, diaminoalkyl, pyridyl, piperidinyl, pyrrolidinyl, polyamine, amino acid, peptide, and protein;

A<sub>1</sub> and A<sub>2</sub>, independently of one another, are selected from the group consisting of CH<sub>2</sub>O, CH<sub>2</sub>S, CH<sub>2</sub>NH, C(O), C(NH), C(S) and (CH<sub>2</sub>)<sub>1</sub>;

X is a physiologically acceptable anion;

m, n, v and w are 0 or 1\sqrt{

i, j, k, l, p and t are integers from 1 to about 100;

q is an integer from 1 to about 1000; and

a is the number of positive charge divided by the valence of the anion, wherein when m and n are 0, then a is 0.

20

15

6. The compound as claimed in claim 5, wherein at least one of  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl having from about 8 to about 24 carbon atoms.

25

- 7. The compound as claimed in claim 5, wherein the alkyl ether optionally substituted by one or more alcohol groups comprises a carbohydrate.
- 8. The compound as claimed in claim 7, wherein the carbohydrate is selected from the group consisting of galactose, fructose, glucose, maltose, sucrose, cellobiose, lactose, mannose, glucopyranose, mannopyranose and galactopyranose.

The compound as claimed in claim 5, wherein said compound has the formula:

9.

SUB B32

5 wherein

 $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$ , independently of one another, are selected from the group consisting of H and a  $C_1$ - $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group, and at least one of  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms; and

1, b and c are integers independently selected from 1 to about 4.

10. The compound as claimed in claim 9, which is:

15

10

11. The compound as claimed in claim 1, wherein said compound has the formula:

15

20

wherein

Q and L are as defined in claim 1;

 $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$ , independently of one another, are selected from the group consisting of H and a  $C_1$ - $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

r, s, u and y are 0 or 1; and

 $R_7$  and  $R_8$  are independently H  $\delta_T$  a carbohydrate.

12. The compound as claimed in claim 11, wherein said compound has the formula:

wherein

 $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$ , independently of one another, are selected from the group consisting of H and a  $C_1$ - $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group, and at least one of  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkenyl or aryl group having from about 8 to about 24 carbon atoms;

 $R_7$  and  $R_8$  are independently H or a carbohydrate; and 1 is an integer from 1 to about 4.

13. The compound as claimed in claim 12, which is:

wherein R<sub>7</sub> and R<sub>8</sub> are independently H or a carbohydrate.

The compound as claimed in claim 13, wherein  $R_7$  and  $R_8$  are H.

The compound as claimed in claim 1, wherein said compound has the formula:

wherein

20

14.

Q is as defined in claim 1;

R<sub>1</sub>, R<sub>2</sub>, R<sub>4</sub> and R<sub>5</sub>, independently of one another, are selected from the group consisting of H and a C<sub>1</sub>-C<sub>8</sub> alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

Z is selected from the group consisting of spermiyl, spermidiyl, amino acid, peptidyl, diaminoalkyl, and polyamine;

m, n, r and u are 0 or 1; and

l, b and c are integers independently selected from 1 to about 4.

15

wherein

R<sub>1</sub>, R<sub>2</sub>, R<sub>4</sub> and R<sub>5</sub>, independently of one another, are selected from the group consisting of H and \( C\_1-C\_8 \) alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group, and at least one of R<sub>1</sub>, R<sub>2</sub>, R<sub>4</sub> and R<sub>5</sub> is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms;

Z is selected from the group consisting of spermiyl, spermidiyl, amino acid, peptidyl, diaminoalkyl, and polyamine;

m and n are 0 or 1;and

1, b and c are integers independently selected from 1 to about 4.

The compound as claimed in claim 16, which is: 17.

18. The compound as claimed in claim 16, which is:

19. The compound as claimed in claim 16, which is:

20. The compound as claimed in claim 1, wherein said compound has the formula:

wherein

10

15

Q, R<sub>1</sub>, R<sub>4</sub>, m, n, r and u are as defined in claim 1;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$ - $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

Z is selected from the group consisting of spermiyl, spermidiyl, amino acid, peptidyl, diaminoalkyl, and polyamine;

 $R_7$  and  $R_8$  are independently H or a carbohydrate; and

l is an integer from 1 to about 4.

21. The compound as claimed in claim 20, wherein said compound has the formula:

5

wherein

Q as defined in claim 1;

at least one of  $R_1$  and  $R_4$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$ - $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

Z is selected from the group consisting of spermiy, spermidiyl, amino acid, peptidyl, diaminoalkyl, and polyamine;

 $R_7$  and  $R_8$  are independently H or a carbohydrate; m and n are as defined in claim 1; and

20 1 is an integer from 1 to about 4.

وراسي 22.

15

The compound as claimed in claim 21, wherein Q is N and R<sub>7</sub> and R<sub>8</sub> are H.

23. The compound as claimed in claim 21 which is:

H<sub>2</sub>N OR<sub>7</sub> CH<sub>3</sub> CH<sub>3</sub> NH<sub>2</sub> NH<sub>2</sub>

wherein R<sub>7</sub> and R<sub>8</sub> are independently H or a carbohydrate.

- 24. The compound according to claim 23, wherein  $R_7$  and  $R_8$  are H.
- 25. The compound as claimed in claim 21, which is:

wherein R<sub>7</sub> and R<sub>8</sub> are independently H or a carbohydrate.

- 15 26. The compound as claimed in claim 25, wherein  $R_7$  and  $R_8$  are H.
  - 27. The compound as claimed in claim 21, which is:

H<sub>2</sub>N OR<sub>7</sub> OR<sub>8</sub> O H NH

OR<sub>7</sub> CH<sub>2</sub>)<sub>8</sub> CH

CH || CH || CH || NH

NH || CH<sub>2</sub>)<sub>7</sub> CH<sub>3</sub>

NH<sub>2</sub> NH<sub>2</sub>

wherein  $R_7$  and  $R_8$  are independently H or a carbohydrate.

28. The compound as claimed in claim 27, wherein  $R_7$  and  $R_8$  are H.

29. The compound as claimed in claim 5, wherein said compound has the formula:

 $\begin{array}{c} 10 \\ \text{SuBBO} \end{array}$   $\begin{array}{c} H_2N \longrightarrow (CH_2)_b \longrightarrow N \longrightarrow (CH_2)_{\overline{1}} \longrightarrow N \longrightarrow (CH_2)_{\overline{2}} \\ R_1 \longrightarrow R_4 \end{array}$ 

wherein

5

at least one of R<sub>1</sub> and R<sub>4</sub> is a straight chain or branched, cyclic, alkyl, alkenyl,

- alkynyl or aryl group having from about 8 to about 24 carbon atoms; and l, b and c are integers independently selected from 1 to about 4.
  - 30. The compound as claimed in claim 29, which is:



31. The compound as claimed in claim 29, which is:

$$H_2N$$
 $(CH_2)_8$ 
 $CH$ 
 $CH$ 
 $(CH_2)_7$ 
 $(CH_2)_7$ 
 $CH_3$ 
 $(CH_2)_7$ 
 $(CH_3)_7$ 
 $(CH_3)_7$ 

32. The compound as claimed in claim 5, wherein said compound has the formula:

$$H_2N$$
 $OR_7$ 
 $R_1$ 
 $R_4$ 
 $OR_8$ 
 $NH_2$ 

500 1511/

10

5

wherein

at least one of  $R_1$  and  $R_4$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or arxl group having from about 8 to about 24 carbon atoms;  $R_7$  and  $R_8$  are independently hydrogen or a carbohydrate; and

l is an integer from 1 to about 4.

33. The compound as claimed in claim 32, which is:

OR<sub>7</sub> (CH<sub>2</sub>)<sub>8</sub> (CH<sub>2</sub>)<sub>8</sub> OR<sub>8</sub>

CH CH

CH CH

(CH<sub>2</sub>)<sub>7</sub> (CH<sub>2</sub>)<sub>7</sub>

CH<sub>3</sub> CH<sub>3</sub>

wherein R<sub>7</sub> and R<sub>8</sub> are independently H or a carbohydrate.

- 34. The compound as claimed in claim 33, wherein  $R_7$  and  $R_8$  are H.
- 35. The compound as claimed in claim 32, which is:

10

Sub 1

15

wherein  $R_7$  and  $R_8$  are independently H or a carbohydrate.

36. The compound as claimed in claim 35, wherein  $R_7$  and  $R_8$  are H.

37. The compound as claimed in claim 32, which is:

$$H_2N$$
 $OR_7$ 
 $(CH_2)_{13}$ 
 $(CH_2)_{13}$ 
 $CH_3$ 
 $CH_3$ 
 $OR_8$ 

wherein  $R_7$  and  $R_8$  independently are H or a carbohydrate.

38. The compound as claimed in claim 37, wherein  $R_7$  and  $R_8$  are H.

Fig. 13 39. The compound as claimed in claim 32, which is:

15

20

25

NH<sub>2</sub> OR<sub>7</sub> (CH<sub>2</sub>)<sub>15</sub> (CH<sub>2</sub>)<sub>15</sub> ĊH<sub>3</sub> CH<sub>3</sub>

wherein  $R_7$  and  $R_8$  are H or a carbohydrate.

- The compound as claimed in claim 39, wherein R<sub>7</sub> and R<sub>8</sub> are H. 40.
- 41. The compound as claimed in claim 5, wherein said compound has the formula:

X:

wherein

Z is as defined in claim 5;

at least one of  $R_1$  and  $R_2$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a C<sub>1</sub>-C<sub>8</sub> alkyl, alkenyl, ary, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a cardamoyl group;

 $R_7$  and  $R_8$  are independently H or a carbohydrate;

m and n are 0 or 1;

i and j are integers from about 2 to about 3; and

k is an integer from 1 to about 3.

The compound as claimed in claim 5, wherein said compound has the formula: 42.

D943836. 11159

SUB BIY

10

wherein

at least one of  $R_1$  and  $R_4$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$ - $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

m and n are 0 or 1;
i and j are integers from about 2 to about 3; and
k is an integer from 1 to about 3.

15 43. The compound as claimed in claim 42, which is:

SUB

$$H_2N$$

NH

 $(CH_2)_8$ 
 $CH$ 
 $(CH_2)_8$ 
 $(CH_2)_8$ 
 $(CH_2)_8$ 
 $(CH_2)_7$ 
 $(CH_2)_7$ 
 $(CH_2)_7$ 
 $(CH_3)_7$ 
 $(CH_3)_7$ 

44. The compound as claimed in claim 42, which is:

$$H_2N$$
 $(CH_2)_8$ 
 $CH$ 
 $CH$ 

45. The compound as claimed in claim 1, wherein said compound has the formula:

10 wherein

15

Q, R<sub>1</sub>, R<sub>4</sub>, r, u, m and n are as defined in claim 1;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$ - $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

i and j are integers from about 2 to about 3; and k is an integer from 1 to about 3.

46. The compound as claimed in claim 5, wherein said compound has the formula:

$$H_2N$$
 $N$ 
 $H_2$ 
 $N$ 
 $H_2$ 
 $H_2$ 
 $H_3$ 
 $H_4$ 
 $H_4$ 

wherein

5

10

15

at least one of  $R_1$  and  $R_4$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$ - $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

m and n are 0 or 1;

i and j are integers from about 2 to about 3; and

k is an integer from 1 to about 3

47. The compound as claimed in claim 46, which is:

48. The compound as claimed in claim 1, wherein said compound has the formula:

wherein

10

15

Q, R<sub>1</sub>, R<sub>4</sub>, r, u, m and n are as defined in claim 1;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$  -  $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, of a carbamoyl group;

i and j are integers from about 2 to about 3;

k is an integer from 1 to about 3;

 $L_1$  and  $L_2$  independently from one another, are an alkylene or an alkylene ether;

20 and
Y is selected from the group condisting of CH<sub>2</sub>, O, S and NH.

49. The compound as claimed in claim , wherein said compound has the formula:

SUB 16 wherein

10

at least one of R<sub>1</sub> and R<sub>4</sub> is a straight chain or branched, cyclic, alky1, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms;

 $R_2$  and  $R_3$ , independently of one another, are selected from the group consisting of H and a  $C_1$  -  $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

m and n are 0 or 1;

i and j are integers from about 2 to about 3;

k is an integer from 1 to about 3;

 $L_1$  and  $L_2$ , independently from one another, are an alkylene or an alkylene ether;

15 and

Y is selected from the group consisting of CH<sub>2</sub>, O, S and NH.

50. The compound as claimed in claim 49, which is:

20 J

51. The compound as claimed in claim 49, which is:

wherein R<sub>7</sub> and R<sub>8</sub> are independently H or a carbohydrate.

52. The compound as claimed in claim 51, wherein  $R_{\uparrow}$  and  $R_{8}$  are H.

53. The compound as claimed in claim 49, which is:

54. The compound as claimed in claim 5 which is:

55. The compound as claimed in claim 1, wherein said compound has the formula:

5 wherein

Q, R<sub>1</sub>, R<sub>4</sub>, r, u, m and n are as defined in claim 1;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$  -  $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

i and j are integers from about 2 to about 3;

k is an integer from 1 to about 3;

 $L_1$  and  $L_2$ , independently from one another, are an alkylene or an alkylene ether; and


Y is selected from the group consisting of CH<sub>2</sub>,O, S and NH.

56. The compound as claimed in claim 5, wherein said compound has the formula:

50B B17

25

15



at least one of R<sub>1</sub> and R is a straight chain or branched, cyclic, alky1, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$  -  $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

SUB BIT

m and n are 0 or 1;

i and are integers from about 2 to about 3;

k is an integer from 1 to about 3;

 $L_1$  and  $L_2$  independently from one another, are an alkylene or an alkylene ether;

5 and

Y is selected from the group consisting of CH<sub>2</sub>, O, S and NH.

57. The compound as claimed in claim 56, which is:

10

HO N N N N OH CH 
$$_{CH_{2})_{8}}$$
  $_{(CH_{2})_{8}}$  OH  $_{CH}$   $_{(CH_{2})_{7}}$   $_{(CH_{2})_{7}}$   $_{CH_{3}}$ 

58. The compound as claimed in 56, which is:

wherein  $R_7$  and  $R_8$  are independently H or a carbohydrate.

59. The compound as claimed in claim 58, wherein  $R_7$  and  $R_8$  are H.

60. The compound as claimed in 56, which is:

SUB BI8 61. The compound as claimed in claim 5, which is:

20

OR<sub>8</sub> ÓН (ĊH<sub>2</sub>)<sub>8</sub> (ĊH<sub>2</sub>)<sub>8</sub> (ĊH<sub>2</sub>)<sub>8</sub> (ĊH<sub>2</sub>)<sub>8</sub> ĊН ĊН ĊН ĊН ĊН (CH<sub>2</sub>)<sub>7</sub> (CH<sub>2</sub>)<sub>7</sub> (CH<sub>2</sub>)<sub>7</sub> (CH<sub>2</sub>)<sub>7</sub> ĊH₃ ĊH₃ ĊH₃ сн₃

wherein  $R_7$  and  $R_8$  are independently H or a carbohydrate.

- 62. The compound as claimed in claim 61, wherein  $R_7$  and  $R_8$  are H.
- 63. The compound as claimed in claim 1, wherein said compound has the formula:

 $N^{\pm} = L_{1} - Q^{\pm} = \left\{ (CH_{2})_{i} - Y - (CH_{2})_{j} \right\}_{k} - Q^{\pm} = L_{2} - N^{\pm} = N$   $(R_{1})_{r} = \left\{ (CH_{2})_{i} - Y - (CH_{2})_{j} \right\}_{k} - Q^{\pm} = L_{2} - N^{\pm} = N$ 

wherein

Q, R<sub>1</sub>, R<sub>4</sub>, r, u, m and n are as defined in claim 1;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$  -  $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

i and j are integers from about 2 to about 3;

k is an integer from 1 to about 3;

 $L_1$  and  $L_2$ , independently from one another, are an alkylene or an alkylene ether; and

Y is selected from the group consisting of CH<sub>2</sub>,O, S and NH.

2017) 15

15

64. The compound as claimed in claim 5, wherein said compound has the formula:

$$N^{\pm} = \left\{ (CH_{2})_{m} - (CH_{2})_{j} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{j} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{j} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left\{ (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} - (CH_{2})_{m} \right\}_{k} = \left$$

wherein

at least one of R and R<sub>4</sub> is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$  -  $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, of a carbamoyl group;

m and n are 0 or 1;

i and j are integers from about 2 to about 3;

k is an integer from 1 to about 3;

 $L_1$  and  $L_2$ , independently from one another, are an alkylene or an alkylene ether; and

Y is selected from the group consisting of CH<sub>2</sub>, O, S and NH.

65. The compound as claimed in claim 64, which is:



5 66. The compound as claimed in claim 64, which is:

10

wherein  $R_7$  and  $R_8$  are independently H or a carbohydrate.

- 67. The compound as claimed in claim 66, wherein  $R_7$  and  $R_8$  are H.
- 15 68. The compound as claimed in claim 64, which is:

wherein R<sub>7</sub> and R<sub>8</sub> are independently H or a carbohydrate.

- The compound as claimed in claim 68, wherein  $R_7$  and  $R_8$  are H. 69.
- The compound as claimed in claim  $\lambda$  wherein said compound has the formula: 70.

wherein

15

 $Q, R_1, R_2, r, u, m$  and n are as defined in claim 1;

R<sub>2</sub> and R<sub>5</sub>, independently of one another, are selected from the group consisting of H and a C<sub>1</sub> - C<sub>8</sub> alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

20 i and j are integers from about 2 to about 3; k is an integer from 1 to about 3;

5 US)

L<sub>1</sub> and L<sub>2</sub> independently from one another, are an alkylene or an alkylene ether;

and

Y is selected from the group consisting of CH<sub>2</sub>, O, S and NH.

71. The compound as claimed in claim 5, wherein said compound has the formula:

SUB BZO

$$\begin{array}{c} (R_2)_m \\ \downarrow \\ L_1 - N^{\pm} \\ R_1 \end{array} \left\{ (CH_2)_i - Y - (CH_2)_j \right\}_k - N^{\pm} L_2 \end{array}$$

10

15

20

wherein

at least one of  $R_1$  and  $R_4$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$  -  $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a darbamoyl group;

m and n are 0 or 1;

i and j are integers from about 2 to about 3;

k is an integer from 1 to about 3

 $L_1$  and  $L_2$ , independently from one another, are an alkylene or an alkylene ether; and

Y is selected from the group consisting of CH2, O, S and NH.

25 72. The compound as claimed in claim 71, which is:

5 73. The compound as claimed in claim 74, which is:

wherein R<sub>7</sub> and R<sub>8</sub> are independently H or a carbohydrate.

74. The compound according to claim 73, wherein  $R_7$  and  $R_8$  are H.

75. The compound as claimed in claim 71, which is:

wherein R<sub>7</sub> and R<sub>8</sub> independently are H or a carbohydrate.

- 76. The compound as claimed in claim 75, wherein  $R_7$  and  $R_8$  are H.
- 10 77. The compound as claimed in claim \( \), wherein said compound has the formula:

$$\begin{array}{c} (R_2)_m \\ \downarrow \\ (R_1)_r \end{array} \left\{ (CH_2)_i - Y - (CH_2)_i \right\}_k \begin{array}{c} (R_5)_n \\ \downarrow \\ (R_4)_u \end{array} \right. X_a$$

15 wherein

20

Q, R<sub>1</sub>, R<sub>4</sub>, r, u, m, and n are as defined in claim  $\backslash 1$ ;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$  -  $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group;

i and j are integers from about 2 to about 3; k is an integer from 1 to about 3; and and

15

20

 $L_1$  and  $L_2$  independently from one another, are an alkylene or an alkylene ether;

Y is selected from the group consisting of CH<sub>2</sub>, O, S and NH.

78. The compound as claimed in claim 5, wherein said compound has the formula:

wherein

at least one of  $R_1$  and  $R_4$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms;

 $R_2$  and  $R_5$ , independently of one another, are selected from the group consisting of H and a  $C_1$  -  $C_8$  alkyl, alkenyl, aryl, and alkyl optionally substituted by one or more of an alcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl or a carbamoyl group;

m and n are 0 or 1;

i and j are integers from about 2 to about 3;

k is an integer from 1 to about 3;

 $L_1$  and  $L_2$  independently from one another, are an alkylene or an alkylene ether; and

Y is selected from the group consisting of CH<sub>2</sub>, O, S and NH.

79. The compound as claimed in claim 78, which is:

July 25)

80. 5 The compound as claimed in claim 78, which is:

> (CH<sub>2</sub>)<sub>8</sub> OR<sub>8</sub> OR7 (CH2)8 CH CH CH ĊН (CH<sub>2</sub>)<sub>7</sub> (ÀH₂)7 ĊH<sub>3</sub>

wherein R<sub>7</sub> and R<sub>8</sub> are independently H or a carbohydrate.

The compound as claimed in claim 80, wherein  $R_7$  and  $R_8$  are H. 81.

The compound as claimed in blam-78, which is: 82.

wherein R<sub>7</sub> and R<sub>8</sub> are independently H or a carbohydrate.

5

- 83. The compound as claimed in claim 82, wherein  $R_7$  and  $R_8$  are H.
- 84. The compound as claimed in claim 5, which is:

85. The compound as claimed in claim 1, wherein said compound has the formula:

wherein

5

10

Y is selected from the group consisting of  $CH_2$ , an ether, a polyether, an amide, a polyamide, an ester, a sulfide, a urea, a thiourea, a guanidyl, a carbamoyl, a carbonate, a phosphate, a sulfate, a sulfoxide, an imine, a carbonyl, and a secondary amino group and wherein Y is optionally substituted by  $-X_1-L'-X_2-Z$  or -Z;

 $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  independently of one another, are selected from the group consisting of H,  $-(CH_2)_p$ -D-Z, an alkyl, an alkenyl, an aryl, and an alkyl or an alkyl ether optionally substituted by one or more of an alcohol, an aminoalcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, an alkylthio, a urea, a thiourea, a guanidyl, or a carbamoyl group, and at least one of  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from 6 to about 64 carbon atoms; and  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  may optionally be covalently linked with each other or with Y, to form a cyclic moiety;

Z is selected from the group consisting of amine, spermiyl, carboxyspermiyl, guanidyl, spermidinyl, putricinyl, diaminoalkyl, pyridyl, piperidinyl, pyrrolidinyl, polyamine, amino acid, peptide, and protein;

 $X_1$  and  $X_2$ , independently of one another, are selected from the group consisting of NH, O, S, alkylene, and arylene;

L' is selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, alkylene ether, and polyether;

D is Q or a bond;

m and n are 0 or 1; and

i, j, k, l and p are integers from 1 to about 10.

20

15

- 86. The compound as claimed in claim 85, wherein at least one of  $R_1$  and  $R_4$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms.
- 5 87. The compound as claimed in claim 85, wherein the alkyl ether optionally substituted by one or more alcohol groups is a carbohydrate.
  - 88. The compound as claimed in claim 87, wherein the carbohydrate is selected from the group consisting of galactose, fructose, glucose, maltose, sucrose, cellobiose, lactose, mannose, glucopyranose, mannose, m
  - 89. The compound as claimed in claim 85, wherein said compound has the formula:

wherein

20

25

Y is selected from the group consisting of CH<sub>2</sub>, an ether, a polyether, an amide, a polyamide, an ester, a sulfide, a urea, a thiourea, a guanidyl, a carbamoyl, a carbonate, and a secondary amino group;

 $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$ , independently of one another, are selected from the group consisting of H,  $-(CH_2)_p$ -Z, an alkyl, an alkenyl, an aryl, and an alkyl or an alkyl ether optionally substituted by one or more of an alcohol, an aminoalcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group, and at least one of  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 6 to about 64 carbon atoms; and  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  may optionally be covalently linked with each other, to form a cyclic moiety;

Z is selected from the group consisting of amine, spermiyl, carboxyspermiyl, guanidyl, spermidinyl, putricinyl, diaminoalkyl, pyridyl, piperidinyl, pyrrolidinyl, polyamine, amino acid, peptide, and protein;

m and n are 0 or 1; and

i, j, k, I and p are integers from 1 to about 10.

- The compound as claimed in claim 89, wherein at least one of R<sub>1</sub> and R<sub>4</sub> is a 90. straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms.
- 91. The compound as claimed in claim 89, wherein the alkyl ether optionally substituted by one or more alcohol groups is a carbohydrate.
- 92. The compound as claimed in claim 91, wherein the carbohydrate is selected from the group consisting of galactose, fructose, glucose, maltose, sucrose, cellobiose, lactose, mannose, glucopyranose, mannopyranose and galactopyranose.
- 93. A compound having the formula:

wherein

Q is selected from the group consisting of N, O and S;

L is a bivalent organia radical capable of covalently linking each Q;

 $R_1$  -  $R_6$ , independently of one another, are selected from the group consisting of H,  $-(CH_2)_p$ -D-Z, an alkyl, an alkenyl, an aryl, and an alkyl or alkyl ether optionally substituted by one or more of an alcohol, an aminoalcohol, an amine, an amide, an ether, a polyether, a polyamide, an ester, a mercaptan, an alkylthio, a urea, a thiourea, a guanidyl, or a carbamoyl group, and wherein at least one of  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 6 to about 64 carbon atoms; and R<sub>1</sub> and R<sub>4</sub> or R<sub>3</sub> and R<sub>6</sub> may optionally be covalently linked with each other, or with L to form a cyclic maiety;

10

15

20

Z is selected from the group consisting of amine, spermiyl, carboxyspermiyl, guanidyl, spermidinyl, putricinyl, diaminoalkyl, pyridyl, piperidinyl, pyrrolidinyl, polyamine, amino acid, peptide, and protein;

D is Q or a bond;

A<sub>1</sub> and A<sub>2</sub>, independently of one another, are selected from the group consisting of CH<sub>2</sub>O, CH<sub>2</sub>S, CH<sub>2</sub>NH, C(O), C(NH), C(S) and (CH<sub>2</sub>)<sub>1</sub>;

X is a physiologically acceptable anion;

m, n, r, s, u, v, w and y are 0 or 1, with the proviso that when both m and n are 0 at least one of r, s, u and y is other than 0;

i, j, k, l, p and t are integers from 0 to about 100;

q is an integer from 1 to about 1000; and

a is the number of positiva charge divided by the valence of the anion.

94. The compound as claimed in any one of claims 1, 2, 5, 6, 9, 11, 12, 15, 16, 20, 21, 22, 29, 32, 41, 42, 45, 46, 48, 49, 55, 56, 63, 64, 70, 71, 77, 78, 85, 86, 87, 88, 89, 90, 91, 92 and 93, wherein said cyclic group is a cholesteryl group.

95. A compound or a polycation having the formula:

20

wherein

L is C, CH,  $(CH_2)_i$ , or  $\{(CH_2)_i - Y - (CH_2)_j\}_k$ , wherein Y is selected from the group consisting of  $CH_2$ , an ether, a polyether, an amide, a polyamide, an ester, a sulfide, a urea, a thiourea, a guanidyl, a carbamoyl, a carbonate, a phosphate, a sulfate, a sulfoxide, an imine, a carbonyl, and a secondary amino group and wherein Y is optionally substituted by  $-X_1-L^2-X_2-Z$  or -Z;

 $R_1$  -  $R_6$ , independently of one another, are selected from the group consisting of H,  $-(CH_2)_p$ -D-Z, an alkyl, an alkenyl, an aryl, and an alkyl or an alkyl ether optionally substituted by one or more of an alcohol, an aminoalcohol, an amine, an amide, an ether,

SUB 127 25

a polyether, a polyamide, an ester, a mercaptan, an alkylthio, a urea, a thiourea, a guanidyl, or a carbamoyl group, and wherein at least one of R<sub>1</sub>, R<sub>3</sub>, R<sub>4</sub> and R<sub>6</sub> is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 6 to about 64 carbon atoms;

Z is selected from the group consisting of amine, spermiyl, carboxyspermiyl, guanidyl, spermidinyl, butricinyl, diaminoalkyl, pyridyl, piperidinyl, pyrrolidinyl, polyamine, amino acid, amino acid derivative, peptide, and protein;

X<sub>1</sub> and X<sub>2</sub>, independently of one another, are selected from the group consisting of NH, O, S, alkylene and arylene;

L' is selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, alkylene ether, and polyether;

A<sub>1</sub> and A<sub>2</sub>, independently of one another, are selected from the group consisting of CH<sub>2</sub>O, CH<sub>2</sub>S, CH<sub>2</sub>NH, C(O), C(NH), C(S) and (CH<sub>2</sub>);

m, n, r, s, u, v, w and y are 0 on 1, with the proviso that when both m and n are 0 at least one of r, s, u and y is other than 0;

i, j, k, l, p and t are integers from 0 to about 100; and q is an integer from 1 to about 1000.

The compound or the polycation as claimed in claim 95, wherein at least one of 96.  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about \( \) to about 24 carbon atoms.

A compound or a polycation having the formula: 97.

25

$$(R_{2})_{\overline{m}} \xrightarrow{\begin{pmatrix} R_{3} & R_{6} \\ N^{+} & L & N^{+} \\ | & | & | \\ (A_{1})_{v} & (A_{2})_{w} \\ | & | & | \\ R_{1} & R_{4} \end{pmatrix}} (R_{5})_{n}$$

10

5

30

wherein

5

L is  $(CH_2)_1$  or  $\{(CH_2)_i - Y - (CH_2)_j\}_k$ , wherein Y is selected from the group consisting of  $CH_2$ , an ether, a polyether, an amide, a polyamide, an ester, a sulfide, a urea, a thiourea, a guanidyl, a carbamoyl, a carbonate, and a secondary amino group;

 $R_1$  -  $R_6$  independently of one another, are selected from the group consisting of H,  $-(CH_2)_p$ -Z, an alkyl, an alkenyl, an aryl, and an alkyl or an alkyl ether optionally substituted by one or more of an alcohol, an aminoalcohol, an amine, an amide, an ether, a polyether, a polyaride, an ester, a mercaptan, a urea, a thiourea, a guanidyl, or a carbamoyl group, and at least one of  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 6 to about 64 carbon atoms;

Z is selected from the group consisting of amine, spermiyl, carboxyspermiyl, guanidyl, spermidinyl, putricinyl, diaminoalkyl, pyridyl, piperidinyl, pyrrolidinyl, polyamine, amino acid, amino acid derivative, peptide, and protein;

A<sub>1</sub> and A<sub>2</sub>, independently of one another, are selected from the group consisting of CH<sub>2</sub>O, CH<sub>2</sub>S, CH<sub>2</sub>NH, C(O), C(NH), C(S) and (CH<sub>2</sub>)<sub>1</sub>;

m, n,v and w are 0 or 1;

i, j, k, l, p and t are integers from \( \) to about 100; and

q is an integer from 1 to about 1000

- 98. The compound or the polycation as claimed in claim 97, wherein at least one of  $R_1$ ,  $R_3$ ,  $R_4$  and  $R_6$  is a straight chain or branched, cyclic, alkyl, alkenyl, alkynyl or aryl group having from about 8 to about 24 carbon atoms.
- 25 99. The compound or the polycation as claimed in claim 95 or 97, wherein the alkyl ether optionally substituted by one or more alcohol groups is a carbohydrate.
  - 100. The compound or the polycation as claimed in claim 99, wherein the carbohydrate is selected from the group consisting of galactose, fructose, glucose, maltose, sucrose, cellobiose, lactose, mannose, glucopyranose, mannopyranose and galactopyranose.

SUB A37

5

- 101. A composition comprising one or more compounds of any one of claims 1 to 93.
- 102. A composition comprising one or more compounds of any one of claims 1 to 93 and at least one additional component selected from the group consisting of a cell, cells, a cell culture, a cell culture media, a neutral lipid, a nucleic acid, and a transfection enhancer.

103. The composition of claim 102, which comprises a nucleic acid.

5 vis A4/

- 104. A lipid aggregate comprising one or more compounds of any one of claims 1 to 93.
- 105. The lipid aggregate of claim 104, which comprises at least one lipid aggregate-forming compound.
- 106. The lipid aggregate of claim 105, wherein said lipid aggregate-forming compound is selected from the group consisting of DQPE, DOPC and cholesterol.

SUB AS 7

- 107. A kit comprising one or more compounds of any one of claims 1 to 93 and at least one additional component selected from the group consisting of a cell, cells, a cell culture media, a nucleic acid, a transfection enhancer and instructions for transfecting a cell or cells.
- 108. A method for introducing a polyanion into a cell or cells, said method comprising forming a liposome from a positively charged compound of any one or claims 1 to 93, contacting the liposome with a polyanion to form a positively-charged polyanion-liposome complex and incubating the complex with a cell or cells.
- 109. A method for introducing a biologically active substance into a cell, said method comprising forming a liposome of a compound of any one of claims 1 to 93 and a biologically active substance and incubating the liposome with a cell or cell culture.

ADD BY add CI